


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2367	((717/101,121,171) or (709/201)). CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 08:25
L2	76344	application with environment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:25
L3	580	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:25
L4	2313	application with environment with defin\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:25
L5	62	1 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:39
L6	278	(717/104).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 08:40
L7	12	4 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:40


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)  
[Preferences](#)

**Web**Results 1 - 10 of about **761,000** for **application environment ~define metadata**. (0.28 seconds)Contents**Application** Development for Authentication Modules. Distributed Transactions ...

Dropping CPU and User-Defined Virtual Processors ...

publib.boulder.ibm.com/infocenter/ids9help/topic/com.ibm.admin.doc/admin02.htm - 109k - [Cached](#) - [Similar pages](#)Research on **Application** of the Method-**Metadata** in Resources ...Policy : International; Research on **Application** of the Method-**Metadata** in Resources & **Environment** Information System.www.gisdevelopment.net/policy/international/interna015pf.htm - 14k - [Cached](#) - [Similar pages](#)**IESR: Metadata** Termsdc:title, JISC Information **Environment** Service Registry (IESR) **Metadata** Terms... This document **defines metadata** terms within the IESR namespace for the ...www.iesr.ac.uk/terms/ - 33k - [Cached](#) - [Similar pages](#)**D24 - Metadata** Watch Report #3This is in line with Heery and Patel [2] who **define application** profiles as ...As an example, the namespace for the Dublin Core **Metadata** Element Set, ...www.schemas-forum.org/metadata-watch/third/section2.html - 14k - [Cached](#) - [Similar pages](#)**Metadata** (Linktionary term)Business **metadata** makes the services of the enterprise **environment** more understandable to end ... Database design is all about **defining metadata** schemas. ...www.linktionary.com/m/metadata.html - 14k - [Cached](#) - [Similar pages](#)[PPT] PowerPoint Presentation TemplateFile Format: Microsoft Powerpoint 97 - [View as HTML](#)**Metadata** Special Interest group. Presentation Outline. **Defining Metadata** ...usage and treatment of data within a system, **application** or **environment**. ...www.irmac.ca/0203/IRMAC%20Metadata%20SIG%20Presentation.ppt - [Similar pages](#)9702This type of **metadata** management **environment** requires that we use the same ...The properties that **define** a single **metadata** object maybe distributed across ...www.inastrol.com/Articles/9702.htm - 19k - [Cached](#) - [Similar pages](#)[PPT] IEMSR, The Information **Environment** & **Metadata** Application ProfilesFile Format: Microsoft Powerpoint 97 - [View as HTML](#)the Information **Environment** & **Metadata** Application Profiles ... "**Metadata** terms"**defined** and managed as sets created for some functional requirement ...www.ukoln.ac.uk/projects/iemsr/dissemination/presentation/iemaps/iemaps.ppt - [Similar pages](#)Cultivate Interactive Issue 3: **Application** Profiles, or how to Mix ...If you want to **define** a **metadata** schema for your electronic resources, ...This is in line with Heery and Patel [4] who **define application** profiles as ...www.cultivate-int.org/issue3/schemas/ - 34k - [Cached](#) - [Similar pages](#)**Metadata** Management: the Foundation for Enterprise Information ...This **Metadata** **defines** the key attributes of the corporate assets available for reuse and, ... physical, and process aspects of the **application environment**, ...


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)


[Advanced Search](#)  
[Preferences](#)

## Web

 Results 1 - 10 of about 32,100,000 for **application environment ~define**. (0.38 seconds)

### [PDF] Wireless Application Environment Defined Media Type Specification

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

 Wireless **Application Environment** Defined Media Type. Specification ... Wireless

**Application Environment** (WAE) is part of the WAP Forum's effort to specify ...

[www.wmlclub.com/docs/especwap2.0/WAP-237-WAEMT-20010515-p.pdf](http://www.wmlclub.com/docs/especwap2.0/WAP-237-WAEMT-20010515-p.pdf) - [Similar pages](#)

### Using IWMARIN0 (example of steps for defining an application ...

Define an application environment. (IWMAM600) |

-----, When filling

out the previous panel, ...

[publib.boulder.ibm.com/.../wasinfo/v5r0/topic/com.ibm.websphere.zseries.doc/info/zseries/ae/tins\\_wlmex.html](http://publib.boulder.ibm.com/.../wasinfo/v5r0/topic/com.ibm.websphere.zseries.doc/info/zseries/ae/tins_wlmex.html) - 8k -

[Cached](#) - [Similar pages](#)

### Contents

 Writing TPF **Application** Programs in C and C++. Special TPF Considerations ...

 TPF Testing **Environment** for Assembly Language ...

[publib.boulder.ibm.com/infocenter/tpfhelp/v1r3m0/topic/com.ibm.tpf.doc\\_put.19/gtpa2/gtpa2m02.htm](http://publib.boulder.ibm.com/infocenter/tpfhelp/v1r3m0/topic/com.ibm.tpf.doc_put.19/gtpa2/gtpa2m02.htm) -

 45k - [Cached](#) - [Similar pages](#)
[\[ More results from publib.boulder.ibm.com \]](#)

### [PDF] Using the PersonalJava Application Environment Compatibility ...

 File Format: PDF/Adobe Acrobat - [View as HTML](#)
**Application Environment** (PJAE) includes a small set of new PJAE classes that are

 ... **environment** variable **defines** a list of directories that the Java ...

[java.sun.com/products/personaljava/pjcc-userguide1\\_2.pdf](http://java.sun.com/products/personaljava/pjcc-userguide1_2.pdf) - [Similar pages](#)

### PersonalJava Emulation Environment

 The PersonalJava emulation **environment** helps you verify that the applets and ...

 This ensures that your applet or **application** will be able to run on any ...

[java.sun.com/products/personaljava/pj-emulation.html](http://java.sun.com/products/personaljava/pj-emulation.html) - 15k - [Cached](#) - [Similar pages](#)

### [PDF] An Iconic Environment for the Definition of Visual DBMSs

File Format: PDF/Adobe Acrobat

 Once the **Application Environment** is **defined**, the VDDL can be tailored to the

 data model which best suits the users' needs for that **application** domain. ...

[doi.ieeecomputersociety.org/10.1109/VL.1998.706136](http://doi.ieeecomputersociety.org/10.1109/VL.1998.706136) - [Similar pages](#)

### Microsoft Office Assistance: About customizing your application's ...

 About customizing your **application's environment** with user profiles and run-time

 ... A user profile **defined** for the operating system applies to every ...

[office.microsoft.com/en-us/assistance/HP052374601033.aspx](http://office.microsoft.com/en-us/assistance/HP052374601033.aspx) - 27k - [Cached](#) - [Similar pages](#)

### [PPT] LCW: CERN Clusters

 File Format: Microsoft Powerpoint 97 - [View as HTML](#)
**Defining environment** variables. Group accounts: Useful, but bad for security /

 auditing. Framework for **environment** definition. 2001/05/25. 3. **Application** ...

[conferences.fnal.gov/lccws/papers/fri/B4\\_Summary.ppt](http://conferences.fnal.gov/lccws/papers/fri/B4_Summary.ppt) - [Similar pages](#)

### Common Applications Environment definition of Common Applications ...

 Computer term of Common Applications **Environment** in the Computing Dictionary and



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☐ The ACM Digital Library ☒ The Guide

application environment define

SEARCH

## THE GUIDE TO COMPUTING LITERATURE



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [application environment define](#)

Found **134,597** of **869,947**

Sort results by

relevance

Save results to a Binder

Try an [Advanced Search](#)

Try this search in [The Digital Library](#)

Display results

expanded form

Search Tips

☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 [A transformational approach to generating application-specific environments](#)

David Garlan, Linxi Cai, Robert L. Nord

November 1992 **ACM SIGSOFT Software Engineering Notes , Proceedings of the fifth ACM SIGSOFT symposium on Software development environments**, Volume 17 Issue 5

Full text available: pdf(1.23 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Current software development environments tend to lie at opposite ends of a spectrum: at one extreme are specialized application generators; at the other are general-purpose programming environments. The former provide strong support for system development and reuse, but are costly to build and available only for limited domains. The latter provide weak support, but are generally available and universally applicable. We describe a technique for automating the production of applic ...

### 2 [TAE Plus: Transportable Applications Environment Plus: a user interface development environment](#)

Martha R. Szczur, Sylvia B. Sheppard

January 1993 **ACM Transactions on Information Systems (TOIS)**, Volume 11 Issue 1

Full text available: pdf(1.99 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The Transportable Applications Environment Plus (TAE Plus) is a NASA-developed user interface development environment (UIDE) for the rapid prototyping, evaluation, implementation, and management of user interfaces. TAE Plus provides an intuitive What You See Is What You Get (WYSIWYG) WorkBench for designing an application's user interface. The WorkBench supports the creation and sequencing of displays, including real-time, data-driven display objects. Users can define context-sensitive help ...

**Keywords:** graphical user interfaces, prototyping, user interface development tools

### 3 [Securing context-aware applications using environment roles](#)

Michael J. Covington, Wende Long, Srividhya Srinivasan, Anind K. Dev, Mustaque Ahamad, Gregory D. Abowd

May 2001 **Proceedings of the sixth ACM symposium on Access control models and technologies**

Full text available: pdf(131.07 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)